

PPF Foil Adhesive

General

PPF Foil Adhesive is a phthalate free and PVC free printing base used to adhesive where used to achieve an elastic, soft touching and foil covering effect in textile printing.

Advantages

- If under the advised conditions is fixed, wash fastness is high. It provides easily to use during printing
- PPF Foil Adhesive doesn't contain Phthalate and PVC. Suitable to ecological standards.
- It provides to maximum brightness, excellent elasticity and high fastness.
- Its curing time is at 302 °F / 150 °C for 1,5 mins.
- It should be fixed at (320-350) °F / (160-176°C); 4-6 bar pressure in 7-10 second for hand press or 15-25 seconds for continuous press.

Applications

- PPF Foil Adhesive is manufactured for foil printing.
- Never use water to reduce the viscosity.
- Before use, please stir well. Do not use any additives that are not advised.
- After using, the silk-screen should be cleaned with water

Usage

- PPF Foil Adhesive provides to adhesion foil to fabric that it increases wash strength of fabric.
- It is advised to print with the silk-screen that are made between 34-55 mesh 60 – 80 Shore,
- V type dr. blade should be used.

Storage & Shelf Life

- Keep containers dry and tightly closed. Store in a ventilated place between (+5)-(+30)°C / (+41)-(+86)°F of temperature.
- It should be consumed within 2 years after the production date.

Important

The technical application and information that have been given above, are designed only as using instructions. Should not be considered as a warranty for any other use. When any help or assistance is required, our technical department is ready for help.

In case of emergency, Safety Data Sheet of this product should be ready for help at the working area. The warnings are given on safety data sheet of this product is for use outside the manufacturer/ distributor to direct/indirect can not be held responsible for any loss or damage.

Technical Details



Appearance
Paste



Odor
Characteristic



Color
Transparent



Viscosity
[(77°F/25°C) sp: 7, rpm: 2 Brookfield] :
1.000.000 – 1.200.000 [mPa.s]



Density
1,0 g/cm³ (25 ° C/77 °F)



pH
.



Boiling Point
>100°C (212°F)



Solubility
Dispersible in water



Explosion Hazard
It is not explosive



Packaging Information
PPF Foil Adhesive is packed in
1/5/10 kg cans