

## PPF Socks Base

### General

It is a phthalate free PVC free printing base used to achieve opaque covering and soft touching properties in textile printing.

### Advantages

- PPF Socks Base has opaque covering effect
- It is instead of using silicone on the back side of socks you could use that product as an alternative option for anti skid applications.
- It doesn't contain phthalate and PVC. Suitable to ecological standards.

### Applications

- PPF Socks Base has opaque covering effect.
- Its curing time is at 320°F / 160 °C for 1,5 mins

### Usage

- PPF Socks Base is applied to socks-base. It gives non-slip property to socks. Its appearance is drop effect.
- It is advised to print with the silk-screen that are made between 43-120 mesh (high emulsion).
- 60-80 Shore , V type dr,blade should be used.
- After using,the silk-screen should be cleaned with synthetic thinner.

### Storage & Shelf Life

- Keep containers dry and tightly closed. Store in a ventilated place between (+5)-(+30)°C /(+41)-(+86)°F of temperature.
- It should be consumed within 2 years after the production date.

### Important

The technical application and information that have been given above, are designed only as using instructions. Should not be considered as a warranty for any other use. When any help or assistance is required, our technical department is ready for help.

In case of emergency, Safety Data Sheet of this product should be ready for help at the working area. The warnings are given on safety data sheet of this product is for use outside the manufacturer/ distributor to direct/indirect can not be held responsible for any loss or damage.

## Technical Details



**Appearance**  
Paste



**Odor**  
Characteristic



**Color**  
Transparent



[(77°F/25°C) sp: 93, rpm: 2 Brookfield ] :  
250.000 – 350.000 [mPa.s]



**Density**  
1,03 g/cm<sup>3</sup> (77 °F)



**pH**  
.



**Boiling Point**  
>100°C (212°F)



**Solubility**  
Dispersible in water



**Explosion Hazard**  
.



**Packaging Information**  
PPF Socks Base is packed in  
1/5/10 kg cans